

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision Date 13-Sep-2024 Revision Number 1

## 1. Identification

**Product identifier** 

Product Name CND NailPrime

Other means of identification

**Product Code(s)** 4700482000

**UN-No** UN1170

**Bulk Number** 4700482000 (CND-N-001)

Brand Revlon Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use No information available

Restrictions on use No information available

Details of the supplier of the safety data sheet

<u>Initial supplier identifier</u> <u>Supplier Address</u>

Revlon Research Center 2121 Route 27Edison, NJ 08818

Emergency telephone number

Emergency Telephone Number INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. Hazard(s) identification

## Classification

Flammable liquids Category 2

## Label elements



## **Danger**

## **Hazard statements**

Highly flammable liquid and vapor

## **Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use explosion-proof electrical, ventilating, lighting and .? equipment

Use only non-sparking tools

Take action to prevent static discharges

Wear protective gloves, eye protection and face protection

## **Precautionary Statements - Response**

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and then shower

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

## **Precautionary Statements - Disposal**

Dispose of contents and container to an approved waste disposal plant

## Other information

May be harmful in contact with skin. May be harmful if inhaled. May cause long lasting harmful effects to aquatic life.

# 3. Composition/information on ingredients

#### **Substance**

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Alcohol Denat. 64-17-5 ( <90 )	64-17-5	<90	-	-
Acetoacetoxyethoxy Methacrylate 21282-97-3 ( <5 )	21282-97-3	<5	-	-

## 4. First-aid measures

#### Description of first aid measures

**Inhalation** Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

**Ingestion** Rinse mouth.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

**Effects of Exposure** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

## 5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Explosion Data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

## 7. Handling and storage

Precautions for safe handling

## Advice on safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

#### Conditions for safe storage, including any incompatibilities

## **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

# 8. Exposure controls/personal protection

# Control parameters Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Alcohol Denat.	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	-

Chemical name	Alberta	British Columbia	Ontario	Quebec
Alcohol Denat.	TWA: 1000 ppm	STEL: 1000 ppm	STEL: 1000 ppm	STEL: 1000 ppm
	TWA: 1880 mg/m <sup>3</sup>			

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Alcohol Denat. 64-17-5 ( <90 )	STEL: 1000 ppm	STEL: 1000 ppm	STEL: 1000 ppm	STEL: 1000 ppm

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Alcohol Denat. 64-17-5 ( <90 )	TWA: 1000 ppm STEL: 1250 ppm	STEL: 1000 ppm	TWA: 1000 ppm STEL: 1250 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 1900 mg/m <sup>3</sup>

## **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

ColorNo information availableOdorMild alcohol odorOdor ThresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH7.0-9.0None knownMelting / freezing point-90 °C / -130.0 °FNone knownBoiling point / boiling range79 °C / 174.2 °FNone knownFlash Point14 °C / 57.2 °FNone knownEvaporation Rate2.7-3.0 (n-butyl acetate = 1.0)None known

Flammability (solid, gas) No data available No information available

Flammability Limit in Air None known

Upper flammability or explosive Upper Explosive Limit (UEL): 19.0 %

limits

Lower flammability or explosive Lower Explosive Limit (LEL): 3.3%

limits

1.70 bar @ 20oC (25 psig @ 68oF) None known Vapor pressure None known Vapor density 1.6 (air = 1.0)Relative density None known 0.8 Water solubility Soluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** Mobile liquid None known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk Density
No information available

## 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

None known based on information supplied. Incompatible materials

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation May be harmful if inhaled.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

**Numerical measures of toxicity** 

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Alcohol Denat.	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h
			= 133.8 mg/L (Rat) 4 h
ACETOACETOXYETHOXY METHACRYLATE	-	> 2000 mg/kg (Rat)	

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

No information available. Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Alcohol Denat.	A3	Group 1	Known	X

## Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. Ecological information

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Alcohol Denat.	-	LC50: 12.0 - 16.0mL/L	-	LC50: 9268 - 14221mg/L
		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss)		EC50: =2mg/L (48h,
		LC50: >100mg/L (96h,		Daphnia magna)
		Pimephales promelas)		
		LC50: 13400 - 15100mg/L		
		(96h, Pimephales		
		promelas)		
ACETOACETOXYETHO	-	LC50: >89.1mg/L (96h,	-	-
XY METHACRYLATE		Oncorhynchus mykiss)		

Persistence and Degradability No information available.

## **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient	
Alcohol Denat.	-0.35	
ACETOACETOXYETHOXY METHACRYLATE	0.9	

Other adverse effects No information available.

## 13. Disposal considerations

Waste treatment methods

Waste from residues/unused Should not be released into the environment. Dispose of in accordance with local

products regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

US EPA Waste Number D001.

California waste information This product conta

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. Transport information

DOT

UN-No UN1170
Proper Shipping Name Ethanol
Transport hazard class(es) 3
Packing Group II

Description UN1170, Ethanol, 3, II Special Provisions 24, IB2, T4, TP1

Emergency Response Guide 127

Number

**IATA** 

UN number or ID number UN1170
Proper Shipping Name Ethanol
Transport hazard class(es) 3
Packing group II
ERG Code UN1170

Special Provisions A180, A3, A58
Description UN1170, Ethanol, 3, II

IMDG

UN number or ID number
Proper Shipping Name
Transport hazard class(es)
Packing Group
EmS-No
Special Provisions
UN1170
Ethanol
3
II
F-E, S-D

**Description** UN1170, Ethanol, 3, II, (14°C c.c.)

## 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Regulations** 

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

**International Inventories** 

TSCA Complies.

Chemical name	CAS No.	U.S. Toxic Substances Control Act (TSCA) status	US TSCA inactive/active designation
Alcohol Denat. 64-17-5 ( <90 )	64-17-5	Compliant	Active
Acetoacetoxyethoxy Methacrylate	21282-97-3	Compliant	Active

Chemical name	CAS No.	U.S. Toxic Substances Control Act (TSCA) status	US TSCA inactive/active designation
21282-97-3 ( <5 )			

**DSL** All components are listed either on the DSL or NDSL. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AICS **NZIoC** Contact supplier for inventory compliance status.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **US State Regulations**

#### **California Proposition 65**

This product does not require a Prop 65 chemical warning.

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Alcohol Denat.	X	X	X
AQUA ((WATER) EAU)	-	-	X

#### U.S. EPA Label information

9/10

Page

16. Other information

NFPAHealth hazards1Flammability3Instability0Special hazards-HMISHealth hazards2Flammability3Physical hazards0Personal ProtectionX

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value - Skin designation

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date 13-Sep-2024

Revision Note No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### North America SDS version information - NGHS

UL release: GHS Revision 3 2023 Q1

North America Full process, including GHS and Transportation Wizards

Chemical name	California Hazardous Waste Status
Alcohol Denat.	Toxic
	Ignitable